

28 STATE STREET

BOSTON, MASSACHUSETTS 02109-1784

TELEPHONE (617) 227-7400

FAX (617) 742-4214

www.lahive.com

JOHN A. LAHIVE, JR. (1928-1997) THOMAS V. SMURZYNSKI GIULIO A. DeCONTI. JR. ELIZABETH A. HANLEY AMY BAKER MANDRAGOURAS ANTHONY A. LAURENTANO KEVIN J. CANNING JANÉ E. REMILLARD Deann FORAN SMITH DEBRA J. MILASINCIC, Ph.D. WILLIAM A. SCOFIELD, JR. SIBLEY P. REPPERT DAVID R. BURNS JOHN S. CURRAN SEAN D. DETWEILER MEGAN E. WILLIAMS, Ph.D. LISA DIROCCO TYNER HATHAWAY P. RUSSELL.*

MARIA LACCOTRIPE ZACHARAKIS, Ph.D.
MERIDETH C. ARNOLD
DANIELLE L. HERRITT
EUIHOON LEE **
MANEESH GULATI
CYNTHIA M. SOROOS
PETER W. DINI, Ph.D.
MICHAEL J. BASTIAN, Ph.D.
CHRISTOPHER J. MCKENNA

SENIOR COUNSEL
JAMES E. COCKFIELD

OF COUNSEL
JEREMIAH LYNCH
JEANNE M. DIGIORGIO
CYNTHIA L. KANIK, Ph.D.
JOHN D. LANZA

PATENT AGENTS
JONATHAN M. SPARKS, Ph.D.
ANDRINA WILLIAMS ZINK
CRISTIN E. HOWLEY, Ph.D.
JILL ANN MELLO, Ph.D.
JAMES H. VELEMA ***

TECHNICAL SPECIALISTS
CATHERINE M. BISHOP
JACOB G. WEINTRAUB
DEBORAH L. NAGLE, Ph.D.
ANNE JACQUELINE WIZEMAN, Ph.D.
BRIAN C. TRINQUE, Ph.D.
CHRISTOPHER R. COWLES, Ph.D.
W. ELANA WANG

- * Admitted in TX only
- ** Admitted in CT only
- *** Passed Patent Bar Exam

July 16, 2004

MS Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Re:

U.S. Patent Application No.: 10/645735

For: RNA INTERFERENCE PATHWAY GENES AS TOOLS FOR TARGETED

GENETIC INTERFERENCE Inventors: Mello, Craig C. et al.

Filed: August 20, 2003

Our Ref. No.: UMY-052DV2

Dear Sir:

I enclose herewith for filing in the above-identified application the following:

- 1. Information Disclosure Statement;
- 2. PTO Form 1449;
- 3. A Return Postcard.

No additional costs are believed to be due in connection with the filing of this Information Disclosure Statement. However, please charge any necessary fees in connection with the enclosed statement to our Deposit Order Account No. 12-0080. For this purpose, a duplicate of this sheet is attached.

I pereby certify that this correspondence is deposited with the United States Postal Service as first class mail in an envelope addressed to: MS Amendment Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22N 3-1450:

Date: July 16 2004

Debra J. Milasincic, Esq., Reg. No. 46,931

Respectfully submitted,

LAHIVE\& COCK#IEIAD, LLP

Debra J. Milasincic, Esq. Registration No. 46,931 Attorney for Applicants

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of: Mello, Craig C. et al.

Serial No.: 10/645735

Filed: August 20, 2003

For: RNA INTERFERENCE PATHWAY GENES AS

TOOLS FOR TARGETED GENETIC

INTERFERENCE

Attorney Docket No.: UMY-052DV2

Group Art Unit: 1637

Examiner: Strzelecka, T.E.

MS Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Certificate of First Class Mailing (37 CFR §1.8(a))

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on the pate set forth below.

July 16, 2004

Date of Signature and of Mail Deposit

Debra J. Milasincic, Esq. Registration No. 46,931 Attorney for Applicants

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Applicants and their Attorney are aware of the following patents, publications or other information, which are cited on the attached PTO Form 1449, and in accordance with 37 CFR §1.97 hereby submit these publications for the Examiner's consideration.

The present application is a Divisional Application of U.S. Serial No. 09/689992, filed October 13, 2000 (Atty. Docket No. UMY-052). All references listed on the enclosed PTO Form 1449 have been previously cited by or submitted to the Office in the prior application, and, in accordance with 37 CFR §1.98(d), copies of these references are not enclosed herewith, but will be provided upon request.

Serial Number: 10/645735 Page -2- Group Art Unit: 1637

This statement is not to be interpreted as a representation that the cited publications are material, that an exhaustive search has been conducted, or that no other relevant information exists. Nor shall the citation of any publication herein be construed *per se* as a representation that such publication is prior art. Moreover, Applicants understand that the Examiner will make an independent evaluation of the cited publications.

Under 37 CFR § 1.97(b)(3), no additional costs are believed to be due in connection with the filing of this disclosure. <u>If, however, a first Office Action on the merits issues in this application bearing a mailing date prior to the date of this Information Disclosure Statement</u>, please charge the appropriate fee as required under 37 CFR §1.17(p) to our Deposit Order Account No. 12-0080.

Respectfully/submitted,

COCKFIELD, LLP

Debra J. Milasincic, Esq. Registration No. 46,931 Attorney for Applicants

28 State Street Boston, MA 02109 (617) 227-7400

Date: July 16, 2004

DJM/JAM/alf

APPLICANT FACSIMILE OF FORM PTO-1449
REV 7-80

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY DOCKET NO SERIAL NO.

UMY-052DV2 10/645735

APPLICANT

GROUP

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Mello, Craig C. et al.

August 20, 2003 1637

U.S. PATENT DOCUMENTS

| MINER | Ī | T | | PATENT DOCUMENTS | | T | |
|------------------|-----|-----------------|-------|-------------------|-------------|----------|-------------------------------|
| MINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| | A1 | 4,469,863 | 09/84 | Ts'o et al. | 536 | 24.5 | |
| | A2 | 4,511,713 | 04/85 | Miller et al. | 435 | 6 | ··· |
| | А3 | 5,034,323 | 07/91 | Jorgensen et al. | 800 | 282 | - |
| | A4 | 5,107,065 | 04/92 | Shewmaker | 800 | 298 | |
| | A5 | 5,190,931 | 03/93 | Inouye | 435 | 91.32 | |
| | A6 | 5,208,149 | 05/93 | Inouye | 435 | 471 | |
| , | A7 | 5,258,369 | 11/93 | Carter | 514 | 44 | |
| | A8 | 5,272,065 | 12/93 | Inouye | 435 | 91.1 | |
| | A9 | 5,365,015 | 11/94 | Grierson et al. | 800 | 283 | ** |
| | A10 | 5,453,566 | 09/95 | Shewmaker | 800 | 286 | |
| | A11 | 5,738,985 | 04/98 | Miles | 435 | 5 | |
| | A12 | 5,795,715 | 08/98 | Livache | 435 | 6 | |
| | A13 | 5,874,555 | 02/99 | Dervan | 536 | 23.1 | |
| | A14 | 5,976,567 | 11/99 | Wheeler et al. | 424 | 450 | |
| | A15 | 6,010,908 | 01/00 | Gruenert et al. | 435 | 463 | |
| | A16 | 6,136,601 | 10/00 | Meyer, Jr. et al. | 435 | 375 | |
| | | | | | | | |
| | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | Country | CLASS | SUBCLASS | TRANSI | ATION |
|----------|-----|-----------------|-------|---------|-------|----------|--------|-------|
| — | A17 | 14/0 00/5 4045 | 10/00 | 140 | | | YES | NO |
| | A17 | WO 98/54315 | 12/98 | WO | | | | |
| | A18 | WO 98/04717 | 02/98 | wo | | | | |
| | A19 | WO 99/32619 | 07/99 | WO | | | | |
| | A20 | WO 99/53050 | 10/99 | WO | | | | |
| | A21 | WO 99/61631 | 12/99 | WO | | | | |
| | A22 | WO 00/01846 | 01/00 | WO | | | | |
| | A23 | WO 00/63364 | 10/00 | WO | | | | |
| | | | | | | | | |
| | | | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| A24 | Baker et al. RNAi of the receptor tyrosine phosphatase HmLAR2 in a single cell of an intact leech embryo leads to growth-cone collapse. Curr Biol. 2000 Sep 7;10(17):1071-4 | | | | | | |
|------------|--|--|--|--|--|--|--|
| A25 | Bass. Double-stranded RNA as a template for gene silencing. Cell. 2000 Apr 28;101(3):235-8 | | | | | | |
| Examiner | Date Considered | | | | | | |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | |

| | | | Onoct 2 of 0 | |
|--------------------------------------|--------------------------------|------------------------|--------------|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. | |
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 | |
| LIST OF PUBLICATIONS CIT | TED BY APPLICANT | APPLICANT | | |
| (Use several sheets i | f necessary) | Mello, Craig C. et al. | | |
| | | FILING DATE | GROUP | |
| | | August 20, 2003 | 1637 | |

| | OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) | | |
|----------|---|--|--|
| B1 | Bastin et al. Flagellum ontogeny in trypanosomes studied via an inherited and regulated RNA interference system. J Cell Sci. 2000 Sep;113 (Pt 18):3321-8 | | |
| B2 | Baulcombe et al. Molecular biology. Unwinding RNA silencing. Science. 2000 Nov 10;290(5494):1108-9 | | |
| В3 | Baulcombe. Gene silencing: RNA makes RNA makes no protein. Curr Biol. 1999 Aug 26;9(16):R599-601 | | |
| B4 | Baum et al. Inhibition of protein synthesis in reticulocyte lysates by a double-stranded RNA component in HeLa mRNA. Biochem Biophys Res Commun. 1983 Jul 18;114(1):41-9 | | |
| B5 | Bhat et al. Discs Lost, a novel multi-PDZ domain protein, establishes and maintains epithelial polarity. Cell. 1999 Mar 19;96(6):833-45 | | |
| B6 | Billy et al. Specific interference with gene expression induced by long, double-stranded RNA in mouse embryonal teratocarcinoma cell lines. Proc Natl Acad Sci U S A 2001 Dec 4;98(25):14428-33 | | |
| B7 | Bosher et al. RNA interference: genetic wand and genetic watchdog. Nat Cell Biol. 2000 Feb;2(2):E31-6 | | |
| B8 | Bosher et al. RNA interference can target pre-mRNA: consequences for gene expression in a Caenorhabditis elegans operon. Genetics. 1999 Nov;153(3):1245-56 | | |
| B9 | C. elegans Sequencing Consortium, The. Genome Sequence of the Nematode C. elegans: A Platform for Investigating Biology Science. 11 Dec. 1998 282:2012-2018 | | |
| B10 | Caplen et al. dsRNA-mediated gene silencing in cultured Drosophila cells: a tissue culture mode for the analysis of RNA interference. Gene. 2000 Jul 11;252(1-2):95-105 | | |
| B11 | Caplen. A new approach to the inhibition of gene expression. Trends Biotechnol. 2002 Feb;20(2):49-51 | | |
| B12 | Catalanotto et al. Gene silencing in worms and fungi. Nature 2000 Mar 16;404(6775):245 | | |
| B13 | Chuang et al. Specific and heritable genetic interference by double-stranded RNA in Arabidopsis thaliana. Proc Natl Acad Sci U S A. 2000 Apr 25;97(9):4985-90 | | |
| B14 | Colussi et al. Debcl, a proapoptotic Bcl-2 homologue, is a component of the Drosophila melanogaster cell death machinery. J Cell Biol. 2000 Feb 21;148(4):703-14 | | |
| B15 | Denef et al. Hedgehog induces opposite changes in turnover and subcellular localization of patched and smoothened. Cell. 2000 Aug 18;102(4):521-31 | | |
| B16 | Doi et al. Short-Interfering-RNA-Mediated Gene Silencing in Mammalian Cells Requires Dicer and elF2C Translation Initiation Factors. Current Biology 8 January, 2003 13:41-46 | | |
| B17 | Dolnick. Naturally occurring antisense RNA. Pharmacol Ther. 1997 Sep;75(3):179-84 | | |
| B18 | Domeier et al. A link between RNA interference and nonsense-mediated decay in Caenorhabditi elegans. Science. 2000 Sep 15;289(5486):1928-31 | | |
| B19 | Driver <i>et al.</i> Oligonucleotide-based inhibition of embryonic gene expression. Nat Biotechnol. 199 Dec;17(12):1184-7 | | |
| Examiner | Date Considered | | |

if not in conformance and not considered. Include copy of this form with next communication to applicant.

| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. | |
|--------------------------------------|--------------------------------|------------------------|------------|--|
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 | |
| LIST OF PUBLICATIONS CIT | TED BY APPLICANT | APPLICANT | | |
| (Use several sheets i | f necessary) | Mello, Craig C. et al. | | |
| · | | FILING DATE | GROUP | |
| | | August 20, 2003 | 1637 | |

| | OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) | | | |
|------------|--|--|--|--|
| C1 | Fagard <i>et al.</i> AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals. Proc Natl Acad Sci U S A 2000 Oct 10;97(21):11650-4 | | | |
| C2 | Fraser et al. Functional genomic analysis of C. elegans chromosome I by systematic RNA interference. Nature. 2000 Nov 16;408(6810):325-30 | | | |
| C3 | Fire et al. RNA-triggered gene silencing. Trends Genet. 1999 Sep;15(9):358-63 | | | |
| C4 | Fire et al. Production of antisense RNA leads to effective and specific inhibition of gene expression in C. elegans muscle. Development. 1991 Oct;113(2):503-14 | | | |
| C5 | Fire et al. Potent and specific genetic interference by double-stranded RNA in Caenorhabditis elegans. Nature. 1998 Feb 19;391(6669):806-11 | | | |
| C6 | Fire et al. On the Generality of RNA-Mediated Interference. Worm Breeder's Gazette. 1998;15(3):8 | | | |
| C7 | Fortier et al. Temperature-dependent gene silencing by an expressed inverted repeat in Drosophila. Genesis. 2000 Apr;26(4):240-4 | | | |
| C8 | GENBANK Acesscion No. Q22617 for Caenorhabditis elegans November 1, 1996 | | | |
| C9 | Grieson et al. Trends in Biotechnology 1991;9:122-3 | | | |
| C10 | Grishok et al. Genetic requirements for inheritance of RNAi in C. elegans. Science. 2000 Mar 31;287(5462):2494-7 | | | |
| C11 | Guo et al. par-1, a gene required for establishing polarity in C. elegans embryos, encodes a putative Ser/Thr kinase that is asymmetrically distributed. Cell. 1995 May 19;81(4):611-20 | | | |
| C12 | Hammond <i>et al.</i> An RNA-directed nuclease mediates post-transcriptional gene silencing in Drosophila cells. Nature. 2000 Mar 16;404(6775):293-6 | | | |
| C13 | Harbinder et al. Genetically targeted cell disruption in Caenorhabditis elegans. Proc Natl Acad Sci U S A. 1997 Nov 25;94(24):13128-33 | | | |
| C14 | Harcourt et al. Ebola virus inhibits induction of genes by double-stranded RNA in endothelial cells. Virology. 1998 Dec 5;252(1):179-88 | | | |
| C15 | Harfe et al. Analysis of a Caenorhabditis elegans Twist homolog identifies conserved and divergent aspects of mesodermal patterning. Genes Dev. 1998 Aug 15;12(16):2623-35 | | | |
| C16 | Heaphy, S. et al. Viruses, double-stranded RNA and RNA interference. Recent Res. Devel. Virol. 2001;3:91-104 | | | |
| C17 | Hill <i>et al.</i> dpy-18 encodes an alpha-subunit of prolyl-4-hydroxylase in caenorhabditis elegans. Genetics. 2000 Jul; 155(3):1139-48 | | | |
| C18 | Hsieh et al. The RING finger/B-box factor TAM-1 and a retinoblastoma-like protein LIN-35 modulate context-dependent gene silencing in Caenorhabditis elegans. Genes Dev. 1999 Nov 15;13(22):2958-70 | | | |
| C19 | Huang et al. The proneural gene amos promotes multiple dendritic neuron formation in the Drosophila peripheral nervous system. Neuron. 2000 Jan;25(1):57-67 | | | |
| Examiner | Date Considered | | | |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | | Oncot 4 of 0 | |
|--------------------------------------|--------------------------------|------------------------|--------------|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. | |
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 | |
| LIST OF PUBLICATIONS C | ITED BY APPLICANT | APPLICANT | | |
| (Use several sheets | s if necessary) | Mello, Craig C. et al. | | |
| | | FILING DATE | GROUP | |
| | | August 20, 2003 | 1637 | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| D1 | OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Hughes et al. RNAi analysis of Deformed, proboscipedia and Sex combs reduced in the |
|----------|---|
| | milkweed bug Oncopeltus fasciatus: novel roles for Hox genes in the hemipteran head. |
| | Development. 2000 Sep;127(17):3683-94 |
| D2 | Hunter. Genetics: a touch of elegance with RNAi. Curr Biol. 1999 Jun 17;9(12):R440-2 |
| D3 | Hunter. Gene Silencing: Shrinking the Black Box of RNAi. Current Biology, 2000, 10:R137-R140 |
| D4 | Izant. Inhibition of Thymidine Kinase Gene Expression by Anti-Sense RNA: A Molecular Approach to Genetic Analysis. Cell. Apr. 1984, 36:1007-1015 |
| D5 | Jacobs <i>et al.</i> When two strands are better than one: the mediators and modulators of the cellular responses to double-stranded RNA. Virology. 1996 May 15;219(2):339-49 |
| D6 | Jorgensen et al. An RNA-based information superhighway in plants. Science. 1998 Mar 6;279(5356):1486-7 |
| D7 | Jorgensen et al. Do unintended antisense transcripts contribute to sense cosuppression in plants? Trends Genet. 1999 Jan;15(1):11-2 |
| D8 | Judware et al. Inhibition of the dsRNA-Dependent Protein Kinase by a Peptide Derived from the Human Immunodeficiency Virus Type 1 Tat Protein. Journal of Interferon Research 1993 13:153-160 |
| D9 | Kelly <i>et al.</i> Chromatin silencing and the maintenance of a functional germline in Caenorhabditis elegans. Development. 1998 Jul;125(13):2451-6 |
| D10 | Kennerdell <i>et al.</i> Heritable gene silencing in Drosophila using double-stranded RNA. Nat Biotechnol. 2000 Aug;18(8):896-8 |
| D11 | Kennerdell et al. Use of dsRNA-mediated genetic interference to demonstrate that frizzled and frizzled 2 act in the wingless pathway. Cell. 1998 Dec 23;95(7):1017-26 |
| D12 | Ketting et al. Mut-7 of C. elegans, required for transposon silencing and RNA interference, is a homolog of Werner syndrome helicase and RNaseD. Cell. 1999 Oct 15;99(2):133-41 |
| D13 | Ketting et al. A genetic link between co-suppression and RNA interference in C. elegans. Nature. 2000 Mar 16;404(6775):296-8 |
| D14 | Kim et al. Positioning of longitudinal nerves in C. elegans by nidogen. Science. 2000 Apr 7;288(5463):150-4 |
| D15 | Klaff et al. RNA structure and the regulation of gene expression. Plant Mol Biol. 1996 Oct;32(1-2):89-106 |
| D16 | Kostich et al. Identification and molecular-genetic characterization of a LAMP/CD68-like protein from Caenorhabditis elegans. J Cell Sci. 2000 Jul;113 (Pt 14):2595-606 |
| D17 | Kumar et al. Antisense RNA: function and fate of duplex RNA in cells of higher eukaryotes. Microbiol Mol Biol Rev. 1998 Dec;62(4):1415-34 |
| D18 | Lam et al. Inducible expression of double-stranded RNA directs specific genetic interference in Drosophila. Curr Biol. 2000 Aug 24;10(16):957-63 |
| D19 | Lewis et al. Distinct roles of the homeotic genes Ubx and abd-A in beetle embryonic abdominal appendage development. Proc Natl Acad Sci U S A. 2000 Apr 25;97(9):4504-9 |
| Examiner | Date Considered |

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | Officer 5 of 6 | |
|--------------------------------------|--------------------------------|------------------------|----------------|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. | |
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 | |
| LIST OF PUBLICATIONS (| CITED BY APPLICANT | APPLICANT | | |
| (Use several sheet | s if necessary) | Mello, Craig C. et al. | | |
| | | FILING DATE | GROUP | |
| | | August 20, 2003 | 1637 | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) | | | | |
|-----------|--|--|--|--|--|
| E1 | Li et al. Double-stranded RNA injection produces null phenotypes in zebrafish. Dev Biol. 2000 Jan 15;217(2):394-405 | | | | |
| E2 | Liu <i>et al.</i> Overlapping roles of two Hox genes and the exd ortholog ceh-20 in diversification of the C. elegans postembryonic mesoderm. Development. 2000 Dec;127(23):5179-90 | | | | |
| E3 | Liu et al. Essential roles for Caenorhabditis elegans lamin gene in nuclear organization, cell cycle progression, and spatial organization of nuclear pore complexes. Mol Biol Cell. 2000 Nov;11(11):3937-47 | | | | |
| E4 | Lohmann et al. Silencing of developmental genes in Hydra. Dev Biol. 1999 Oct 1;214(1):211-4 | | | | |
| E5 | Maine. A conserved mechanism for post-transcriptional gene silencing? Genome Biol. 2000;1(3):REVIEWS1018 | | | | |
| E6 | Maitra. Catalytic cleavage of an RNA target by 2-5A antisense and RNase L. J Biol Chem 1995 Jun 23;270(25):15071-5 | | | | |
| E7 | Marx. Interfering with gene expression. Science. 2000 May 26;288(5470):1370-2 | | | | |
| E8 | Matzke et al. How and Why Do Plants Inactivate Homologous (Trans)genes? Plant Physiol. 1995 Mar;107(3):679-685 | | | | |
| E9 | Mello <i>et al.</i> Efficient gene transfer in C.elegans: extrachromosomal maintenance and integration of transforming sequences. EMBO J. 1991 Dec;10(12):3959-70 | | | | |
| E10 | Mello et al. DNA transformation. Methods Cell Biol. 1995;48:451-82 | | | | |
| E11 | Metzlaff et al. RNA-mediated RNA degradation and chalcone synthase A silencing in petunia. Cell. 1997 Mar 21;88(6):845-54 | | | | |
| E12 | Mette et al. Transcriptional silencing and promoter methylation triggered by double-stranded RNA. EMBO J. 2000 Oct 2;19(19):5194-201 | | | | |
| E13 | Melendez et al. Caenorhabditis elegans lin-13, a member of the LIN-35 Rb class of genes involved in vulval development, encodes a protein with zinc fingers and an LXCXE motif. Genetics. 2000 Jul;155(3):1127-37 | | | | |
| E14 | Misquitta et al. Targeted disruption of gene function in Drosophila by RNA interference (RNA-i): a role for nautilus in embryonic somatic muscle formation. Proc Natl Acad Sci U S A. 1999 Feb 16;96(4):1451-6 | | | | |
| E15 | Montgomery et al. Double-stranded RNA as a mediator in sequence-specific genetic silencing and co-suppression. Trends Genet. 1998 Jul;14(7):255-8 | | | | |
| E16 | Montgomery et al. RNA as a target of double-stranded RNA-mediated genetic interference in Caenorhabditis elegans. Proc Natl Acad Sci U S A. 1998 Dec 22;95(26):15502-7 | | | | |
| E17 | Nakano <i>et al.</i> RNA interference for the organizer-specific gene Xlim-1 in Xenopus embryos. Biochem Biophys Res Commun. 2000 Aug 2;274(2):434-9 | | | | |
| E18 | Nekhai. et al. Peptides Derived from the Interferon-Induced PKR Prevent Activation by HIV-1 TAR RNA. Virology 1996 222:193-200 | | | | |
| E19 | Nellen <i>et al.</i> What makes an mRNA anti-sense-itive? Trends Biochem Sci. 1993 Nov;18(11):419-23 | | | | |
| E20 | Ngo et al. Double-stranded RNA induces mRNA degradation in Trypanosoma brucei. Proc Natl Acad Sci U S A. 1998 Dec 8;95(25):14687-92 | | | | |
| xaminer | Date Considered | | | | |
| EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | |

| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. |
|--------------------------------------|--------------------------------|------------------------|------------|
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 |
| LIST OF PUBLICATIONS CITED | BY APPLICANT | APPLICANT | |
| (Use several sheets if no | ecessary) | Mello, Craig C. et al. | |
| • | | FILING DATE | GROUP |
| | | August 20, 2003 | 1637 |

| F1 | Oates et al. Too much interference: injection of double-stranded RNA has nonspecific effects in | | | |
|---------|---|--|--|--|
| | the zebrafish embryo. Dev Biol. 2000 Aug 1;224(1):20-8 | | | |
| F2 | Oelgeschlager et al. The evolutionarily conserved BMP-binding protein Twisted gastrulation promotes BMP signalling. Nature. 2000 Jun 15;405(6788):757-63 | | | |
| F3 | Paddison, P.J. et al. RNA interference: the new somatic cell genetics? Cancer Cell. 2002 Jul;2(1):17-23 | | | |
| F4 | Pal-Bhadra et al. RNAi related mechanisms affect both transcriptional and posttranscriptional transgene silencing in Drosophila. Mol Cell 2002 Feb;9(2):315-27 | | | |
| F5 | Parrish et al. Functional anatomy of a dsRNA trigger: differential requirement for the two trig strands in RNA interference. Mol Cell. 2000 Nov;6(5):1077-87 | | | |
| F6 | Pichler et al. OOC-3, a novel putative transmembrane protein required for establishment of cortical domains and spindle orientation in the P(1) blastomere of C. elegans embryos. Development. 2000 May;127(10):2063-73 | | | |
| F7 | Pineda <i>et al.</i> Searching for the prototypic eye genetic network: Sine oculis is essential for eye regeneration in planarians. Proc Natl Acad Sci U S A. 2000 Apr 25;97(9):4525-9 | | | |
| F8 | Plasterk et al. The silence of the genes. Curr Opin Genet Dev. 2000 Oct;10(5):562-7 | | | |
| F9 | Pratt et al. Regulation of in vitro translation by double-stranded RNA in mammalian cell mRNA preparations. Nucleic Acids Res. 1988 Apr 25;16(8):3497-510 | | | |
| F10 | Proud. PKR: a new name and new roles. Trends Biochem Sci. 1995 Jun;20(6):241-6 | | | |
| F11 | Ratcliff et al. A Similarity Between Viral Defense and Gene Silencing in Plants. Science. 1997;276:1558-60 | | | |
| F12 | Rocheleau. Wnt signaling and an APC-related gene specify endoderm in early C. elegans embryos. Cell. 1997 Aug 22;90(4):707-16 | | | |
| F13 | Sanchez-Alvarado <i>et al.</i> Double-stranded RNA specifically disrupts gene expression during planarian regeneration. Proc Natl Acad Sci U S A. 1999 Apr 27;96(9):5049-54 | | | |
| F14 | Sawa et al. Components of the SWI/SNF complex are required for asymmetric cell division in C. elegans. Mol Cell. 2000 Sep;6(3):617-24 | | | |
| F15 | Scherr, M. et al. Gene silencing mediated by small interfering RNAs in mammalian cells. Curr Med Chem. 2003 Feb;10(3):245-56 | | | |
| F16 | Seydoux <i>et al.</i> Repression of gene expression in the embryonic germ lineage of C. elegans. Nature. 1996 Aug 22;382(6593):713-6 | | | |
| F17 | Sharp. RNAi and double-strand RNA. Genes Dev. 1999 Jan 15;13(2):139-41 | | | |
| F18 | Sharp et al. Molecular biology. RNA interference. Science. 2000 Mar 31;287(5462):2431-3 | | | |
| F19 | Shi et al. Genetic interference in Trypanosoma brucei by heritable and inducible double-strande RNA. RNA. 2000 Jul;6(7):1069-76 | | | |
| F20 | Shippy et al. Analysis of maxillopedia expression pattern and larval cuticular phenotype in wild-type and mutant tribolium. Genetics. 2000 Jun;155(2):721-31 | | | |
| xaminer | Date Considered | | | |

| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. |
|--------------------------------------|--------------------------------|------------------------|------------|
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 |
| LIST OF PUBLICATIONS CIT | TED BY APPLICANT | APPLICANT | |
| (Use several sheets i | f necessary) | Mello, Craig C. et al. | |
| · | | FILING DATE | GROUP |
| | | August 20, 2003 | 1637 |

| | OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) |
|---------|---|
| G1 | Stam et al. Annals of Botany. 1997;79:3-12 |
| G2 | Stauber <i>et al.</i> Function of bicoid and hunchback homologs in the basal cyclorrhaphan fly Megaselia (Phoridae). Proc Natl Acad Sci U S A. 2000 Sep 26;97(20):10844-9 |
| G3 | Suzuki et al. Activation of target-tissue immune-recognition molecules by double-stranded polynucleotides. Proc Natl Acad Sci U S A. 1999 Mar 2;96(5):2285-90 |
| G4 | Svoboda et al. Selective reduction of dormant maternal mRNAs in mouse oocytes by RNA interference. Development 2000 Oct;127(19):4147-56 |
| G5 | Tabara et al. RNAi in C. elegans: soaking in the genome sequence. Science. 1998 Oct 16;282(5388):430-1 |
| G6 | Tabara et al. The rde-1 gene, RNA interference, and transposon silencing in C. elegans. Cell. 1999 Oct 15;99(2):123-32 |
| G7 | Tabara et al. pos-1 encodes a cytoplasmic zinc-finger protein essential for germline specification in C. elegans. Development. 1999 Jan;126(1):1-11 |
| G8 | Tavernarakis et al. Heritable and inducible genetic interference by double-stranded RNA encode by transgenes. Nat Genet. 2000 Feb;24(2):180-3 |
| G9 | Thompson. Shortcuts from gene sequence to function. Nat Biotechnol. 1999 Dec;17(12):1158-9 |
| G10 | Timmons et al. Specific interference by ingested dsRNA. Nature. 1998 Oct 29;395(6705):854 |
| G11 | Tuschl et al. Targeted mRNA degradation by double-stranded RNA in vitro. Genes Dev. 1999 Dec 15;13(24):3191-7 |
| G12 | Ui-Tei et al. Sensitive assay of RNA interference in Drosophila and Chinese hamster cultured |
| G13 | cells using firefly luciferase gene as target. FEBS Lett. 2000 Aug 18;479(3):79-82 Wagner et al. Double-stranded RNA poses puzzle. Nature. 1998 Feb 19;391(6669):744-5 |
| G14 | Wang et al. Rapid kinetic studies link tetrahydrobiopterin radical formation to heme-dioxy reduce tion and arginine hydroxylation in inducible nitric-oxide synthase. J Biol Chem. 2001 5;276:315-9 |
| G15 | Wargelius et al. Double-stranded RNA induces specific developmental defects in zebrafish embryos. Biochem Biophys Res Commun. 1999 Sep 16;263(1):156-61 |
| G16 | Waterhouse et al. Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. Proc Natl Acad Sci U S A. 1998 10;95(23):13959-64 |
| G17 | Waterston et al. A survey of expressed genes in Caenorhabditis elegans. Nat Genet. 1992 May;1(2):114-23 |
| G18 | Wianny et al. Specific interference with gene function by double-stranded RNA in early mouse development. Nat Cell Biol 2000 Feb;2(2):70-5 |
| G19 | Willert et al. A Drosophila Axin homolog, Daxin, inhibits Wnt signaling. Development. 1999 Sep;126(18):4165-73 |
| G20 | Williams et al. ARGONAUTE1 is required for efficient RNA interference in Drosophila embryos. Proc Natl Acad Sci U S A 2002 May 14;99(10):6889-94 |
| xaminer | Date Considered |

if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | Sileer o oi o | |
|--------------------------------------|-----------------------------|-----------------|---------------|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE | ATTY DOCKET NO | SERIAL NO. | |
| REV 7-80 | PATENT AND TRADEMARK OFFICE | UMY-052DV2 | 10/645735 | |
| LIST OF PUBLICATIONS O | CITED BY APPLICANT | APPLICANT | | |
| | | | | |
| , | • | FILING DATE | GROUP | |
| | | August 20, 2003 | 1637 | |

OTHERS (including Author Title Date, Pertinent Pages, Etc.)

| | | OTHERS (including Author, Title, Date, 1 Criment 1 ages, Etc.) |
|----------|----------|--|
| H1 | | Wilson et al. 2.2 Mb of contiguous nucleotide sequence from chromosome III of C. elegans. Nature. 1994 Mar 3;368(6466):32-8 |
| H2 | 2 | Wu-Scharf et al. Transgene and transposon silencing in Chlamydomonas reinhardtii by a DEAH-box RNA helicase. Science. 2000 Nov 10;290(5494):1159-62 |
| Н | 3 | Yang et al. Evidence that processed small dsRNAs may mediate sequence-specific mRNA degradation during RNAi in Drosophila embryos. Curr Biol. 2000 Oct 5;10(19):1191-200 |
| H | 1 | Zamore et al. RNAi: double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. Cell. 2000 Mar 31;101(1):25-33 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Examiner | <u> </u> | Date Considered |
| *EVAMINE | D. | Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw line through citation |

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through if not in conformance and not considered. Include copy of this form with next communication to applicant.